

Setting up PageStore 3



How to install, authenticate and configure PageStore 3 on a Macintosh or PC

Installation

- Select an installation scenario and download the required installation package:

	Mac OS X	Windows 2000 or XP
Single-user	PageStore3_AllInOne.dmg	Desktop_allinone.zip, containing PageStoreDesktopEditionSetup.msi
Multi-user	PageStore3_MultiUser.dmg	Network_multiuser.zip, containing PageStoreNetworkServerSetup.msi Bonjour Setup.exe (optional) PageStoreNetworkFileServerSetup.msi PageStoreNetworkClientSetup.msi

- Install the single-user package on the Mac or PC, OR
- For a multi-user package:
 - Install the **PageStoreNetworkServer** on a Mac OS X Server or a Windows 2000 Server or Win 2003 .NET Server.
 - Install the **PageStoreNetworkFileServer** on the same server, or any other networked Mac OS X or Windows PC or server.
 - Install the **PageStoreNetworkClient** on Mac OS X or Windows 2000 or XP machines.

Note: The Macintosh server can only support Mac clients. The Windows server can support both.

Authentication

You need to authenticate PageStore 3 the first time you run it on each client machine.


- Open the PageStore 3 application.
You will see an Authentication message.
- For a demo version or pre-release, type **demo** in the **Serial #** field, then enter the Authentication code provided by Adstream.
- For a full version, fill in all the fields and click **Fetch Authentication #**. When the code is displayed, copy it into the **Authentication** field.
- Click the **Authenticate** button.

Connecting a client to the server

For a single-user installation, simply start PageStore (MacOSX), or start the PageStore server, then the PageStore application (Windows).

For a multi-user installation, proceed as follows:

- Make sure the appropriate PageStore 3 server is running and the clients have network access to it.



- Open and authenticate the PageStore 3 application on the first client machine.
- The Configure PageStore Server IP dialog appears.
- To connect to the server you want, EITHER type in its IP address OR click its name on the list at the bottom of the window. (On a PC, the list will only appear if Bonjour is installed on the client and the servers.)
- If using an IP address, click **Check** to ensure that the selected server is available.

- A message appears: **Successfully connected to service.**
- Click **Continue.**

Logging in

- When the login window appears, log in as **Username: setup, Password: setup.**
- When the Licence Agreement appears, click on **Agree.**

Configuring the site code

- A message will appear if your Site Code is not configured.
- Click **OK** and proceed as follows:
 - Log out, then log in as PageStore Support. Technical Support will supply instructions and a password which can be used once only.
 - Open the **PageStore** menu (MacOSX) or the **Edit** menu (Windows) and select **Preferences.**
 - Click the **Comms** icon.
 - Enter your 4-character client user name and your client user password.
 - Click **Confirm.**
 - Click the **Admin** icon.
 - Enter the 4-character client user name and other client information.
 - Close the Preferences window.
 - Log out, then log in as a user.



Locating the database and workspace files

- On Mac OS X, mount the server which contains the database and workspace files.
- If the server requires log-in access, log in.
- In the PageStore client, select **Preferences** from the **PageStore** (MacOSX) or **Edit** menu (Windows).
- Click the **Paths** icon.
The paths which need to be set are shown in **red.**
- Click the **Browse** button to locate the **Database** folder.
- Once the Database folder has been identified, PageStore 3 may automatically set the remaining paths. If not, use the **Browse** button to locate the correct **Outgoing, Sent** and **Working** folders.

Once the paths have been set for the first client, all other clients which connect to the same server will have the correct paths. Start each of the remaining clients and connect to the server as described above.

Creating user accounts

- While logged in as the **setup** user, create login accounts for all the client users:
 - Open the **PageStore** menu (MacOSX) or the **File** menu (Windows) and select **Preferences**.
 - Click the **Login** icon.
 - Click **New** and enter suitable user details.
 - Click **Update** after entering each new user.
 - Click **OK** to finish.

For more details, contact Technical Support on 1300 768 988 or email support@quickcut.com.au. For up-to-date information on PageStore 3, go to <http://www.quickcut.com.au/support/qc/ps/pagestore.html>.
